ELSEVIER

The Science of the Total Environment 177 (1996) 329

the Science of the Total Environment
An International Journal for Scientific Research into the Environment and its Relationship with Man

Author index

Volume 177 (1996)

Aprea, C. **177**, 37

Balint, L. **177**, 31
Barnett, C.L. **177**, 85
Barthelmie, R.J. **177**, 57
Bazulic, D. **177**, 31
Beaumont, W.R.C. **177**, 113
Beresford, N.A. **177**, 85
Bevilaqua, D. **177**, 251
Boccalon, P. **177**, 37
Borovec, Z. **177**, 237
Braven, J. **177**, 215
Brown, J.R. **177**, 73
Bruns, I. **177**, 137

Challenger, O. **177**, 215
Chamberlain, A.C. **177**, 259
Chi, H. **177**, 9
Cresser, M.S. **177**, 225, 281
Crisp, D.T. **177**, 113
Crout, N.M.J. **177**, 85
Cullen, W.R. **177**, 17

Danalatos, D. **177**, 291
Duane, M.J. **177**, 195
Dyke, P. **177**, 303

Eduljee, G.H. **177**, 303
Esteller, M.V. **177**, 161

Facchetti, S. **177**, 195
Field, R.A. **177**, 73
Fjellheim, A. **177**, 173

Gammack, S.M. **177**, 281
Giménez, E. **177**, 161
Glavas, S. **177**, 291
Goldstone, M.E. **177**, 73
Gulson, B.L. **177**, 323

Hamilton-Taylor, J. **177**, 221
Harwood, D. **177**, 215
Headley, A.D. **177**, 105
Henriksen, A. **177**, 173

Kalac, P. **177**, 251
Kelly, M. **177**, 221
Koh, L.L. **177**, 9
Koulikov, A.O. **177**, 125
Krauss, G.-J. **177**, 137
Kubala, H. **177**, 31

Lang, P.-Z. **177**, 1
Langan, S.J. **177**, 225
Le, X.-C. **177**, 17
Lead, J.R. **177**, 221
Lester, J.N. **177**, 73
Li, X.-F. **177**, 17
Lien, L. **177**, 173

Markert, B. **177**, 137
McKay, W.A. **177**, 43
Miersch, J. **177**, 137
Morell, I. **177**, 161
Morris, C.C. **177**, 85
Mussalo-Rauhamaa, H. **177**, 145

Niznanská, M. **177**, 251

Orsi, D. **177**, 37

Peduzzi, P. **177**, 97
Perry, R. **177**, 73
Pigozzi, G. **177**, 195
Pihlman, S. **177**, 145
Pryor, S.C. **177**, 57

Raddum, G.G. **177**, 173
Reimer, K.J. **177**, 17
Richardson, G. **177**, 215
Rose, C.L. **177**, 43
Rosén, K. **177**, 215

Sapunar-Postruznik, J. **177**, 31
Sartorelli, P. **177**, 37
Sartorelli, E. **177**, 37
Sciarra, G. **177**, 37
Siebert, A. **177**, 137
Stasková, I. **177**, 251

Tapper, U. **177**, 145

Varrela, T. **177**, 145
Vuorinen, H.S. **177**, 145

Wee, Y.C. **177**, 9
Weinbauer, M.G. **177**, 97
White, C.C. **177**, 225
Wong, M.K. **177**, 9
Wu, J. **177**, 9

Yesmin, L. **177**, 281

Zhao, Y.-H. **177**, 1
Zhou, C.Y. **177**, 9

ELSEVIER

The Science of the Total Environment 177 (1996) 331–335

the Science of the Total Environment
An International Journal for Scientific Research into the Environment and its Relationship with Man

Subject index

Volume 177 (1996)

Accumulation; Bioindication; Moss; Heavy metals; *Fontinalis antipyretica* **177**, 137

Acid neutralizing capacity (ANC); Fish; Aquatic invertebrates; Atlantic salmon; Brown trout; Norway; Labile Al; TOC **177**, 173

Afforested; Trout populations; Streams; Moorland **177**, 113

Air; EHT negative voltage; Ionisation; Water; Chemiluminescense; Superoxide; Hydrogen peroxide **177**, 215

Aluminium; Tea and tea infusion; High performance liquid chromatography; Graphite furnace atomic absorption spectrometry **177**, 9

Americium; Humic material; Europium; Ion exchange **177**, 221

Ammonium sulfate; Peat; Nitrogen accumulation; *Calluna*; Grass; Nitric acid **177**, 281

Anthropogenic contamination; Stream sediment geochemistry; Elbe River; Czech Republic; Sequential extraction; Factor analysis; Cluster analysis **177**, 237

Aqua regia digestion; Inductively coupled plasma-mass spectrometry (ICP-MS); Mobile geochemical laboratory; Nitric acid digestion; Mine tailings dumps; Soil sampling **177**, 195

Aquatic invertebrates; Acid neutralizing capacity (ANC); Fish; Atlantic salmon; Brown trout; Norway; Labile Al; TOC **177**, 173

Atlantic salmon; Acid neutralizing capacity (ANC); Fish; Aquatic invertebrates; Brown trout; Norway; Labile Al; TOC **177**, 173

Atmosphere; PCDD emission; PCDF emission **177**, 303

Base cation deposition; Podzol; Granite; Weathering rates; PROFILE; Critical loads; Sea salts **177**, 225

Bioindication; Moss; Heavy metals; *Fontinalis antipyretica*; Accumulation **177**, 137

Biological monitoring; General population; Organophosphorus insecticides; Urinary alkylphosphates **177**, 37

Brown trout; Acid neutralizing capacity (ANC); Fish; Aquatic invertebrates; Atlantic salmon; Norway; Labile Al; TOC **177**, 173

Cadmium; Edible mushrooms; Heavy metals; Mercury; Copper; Lead; Mercury smelter vicinity; Copper smelter vicinity **177**, 251

Cadmium; Lead; Dietary intake; Provisional tolerable weekly intake; Republic of Croatia **177**, 31

Calluna; Peat; Nitrogen accumulation; Grass; Ammonium sulfate; Nitric acid **177**, 281

Canada; PM_{10}; Total Suspended Particulate (TSP); Particulate standards, spatial and temporal variability **177**, 57

Castellon Plain, Spain; Groundwater salinization; Principle components analysis (PCA); Cluster analysis **177**, 161

16th-17th century; Finland; PIXE; PIGE; Trace elements; Lead; Urban; Migration; Commerce **177**, 145

Chemiluminescense; Air; EHT negative voltage; Ionisation; Water; Superoxide; Hydrogen peroxide **177**, 215

Chernobyl; Radiocaesium; Within flock variability; Sheep; Cumbria **177**, 85

Chernobyl accident; Fish, radiocaesium contamination; Kiev reservoir **177**, 125

***Cis*-dihydrodiol pyrene**; Pyrene; Metabolite; Polycyclic aromatic hydrocarbons; Microbial degradation **177**, 17

Cluster analysis; Groundwater salinization; Castellon Plain, Spain; Principle components analysis (PCA) **177**, 161

Cluster analysis; Stream sediment geochemistry; Elbe River; Czech Republic; Sequential extraction; Factor analysis; Anthropogenic contamination **177**, 237

Coal; High Arctic; Heavy metals; Peat; Guano; Seabird colony **177**, 105

Commerce; Finland; 16th — 17th century; PIXE; PIGE; Trace elements; Lead; Urban; Migration **177**, 145

Copper; Edible mushrooms; Heavy metals; Mercury; Cadmium; Lead; Mercury smelter vicinity; Copper smelter vicinity **177**, 251

Copper smelter vicinity; Edible mushrooms; Heavy metals; Mercury; Copper; Cadmium; Lead; Mercury smelter vicinity **177**, 251

Critical loads; Podzol; Granite; Base cation deposition; Weathering rates; PROFILE; Sea salts **177**, 225

Cumbria; Radiocaesium; Within flock variability; Sheep; Chernobyl **177**, 85

Czech Republic; Stream sediment geochemistry; Elbe River; Sequential extraction; Factor analysis; Cluster analysis; Anthropogenic contamination **177**, 237

Diesel; Polycyclic aromatic hydrocarbons (PAH); PAH monitoring; London, UK; Motor vehicle emissions; Unleaded petrol **177**, 73

Dietary intake; Lead; Cadmium; Provisional tolerable weekly intake; Republic of Croatia **177**, 31

Dissolved Organic Carbon (DOC); Hydrophobic pollutants; Sediments; Partition coefficients; Nonsettling microparticles (NSPs) **177**, 1

DNA; RNA; Virus; Marine ecosystem **177**, 97

Edible mushrooms; Heavy metals; Mercury; Copper; Cadmium; Lead; Mercury smelter vicinity; Copper smelter vicinity **177**, 251

EHT negative voltage; Air; Ionisation; Water; Chemiluminescense; Superoxide; Hydrogen peroxide **177**, 215

Elbe River; Stream sediment geochemistry; Czech Republic; Sequential extraction; Factor analysis; Cluster analysis; Anthropogenic contamination **177**, 237

Europium; Humic material; Americium; Ion exchange **177**, 221

Factor analysis; Stream sediment geochemistry; Elbe River; Czech Republic; Sequential extraction; Cluster analysis; Anthropogenic contamination **177**, 237

Finland; 16th — 17th century; PIXE; PIGE; Trace elements; Lead; Urban; Migration; Commerce **177**, 145

Fish; Acid neutralizing capacity (ANC); Aquatic invertebrates; Atlantic salmon; Brown trout; Norway; Labile Al; TOC **177**, 173

Fish; PCDDs (dioxins); PCDFs (furans); Sediment; TEQs; UK freshwater **177**, 43

Fish, radiocaesium contamination; Kiev reservoir; Chernobyl accident **177**, 125

Fontinalis antipyretica; Bioindication; Moss; Heavy metals; Accumulation **177**, 137

General population; Biological monitoring; Organophosphorus insecticides; Urinary alkylphosphates **177**, 37

Granite; Podzol; Base cation deposition; Weathering rates; PROFILE; Critical loads; Sea salts **177**, 225

Graphite furnace atomic absorption spectrometry; Aluminium; Tea and tea infusion; High performance liquid chromatography **177**, 9

Grass; Peat; Nitrogen accumulation; *Calluna*; Ammonium sulfate; Nitric acid **177**, 281

Groundwater salinization; Castellon Plain, Spain; Principle components analysis (PCA); Cluster analysis **177**, 161

Guano; High Arctic; Heavy metals; Peat; Seabird colony; Coal **177**, 105

Heavy metals; Bioindication; Moss; *Fontinalis antipyretica*; Accumulation **177**, 137

Heavy metals; Edible mushrooms; Mercury; Copper; Cadmium; Lead; Mercury smelter vicinity; Copper smelter vicinity **177**, 251

Heavy metals; High Arctic; Peat; Guano; Seabird colony; Coal **177**, 105

High Arctic; Heavy metals; Peat; Guano; Seabird colony; Coal **177**, 105

High performance liquid chromatography; Aluminium; Tea and tea infusion; Graphite furnace atomic absorption spectrometry **177**, 9

Humic material; Americium; Europium; Ion exchange **177**, 221

Hydrogen peroxide; Air; EHT negative voltage; Ionisation; Water; Chemiluminescense; Superoxide **177**, 215

Hydrophobic pollutants; Sediments; Partition coefficients; Dissolved Organic Carbon (DOC); Nonsettling microparticles (NSPs) **177**, 1

Inductively coupled plasma-mass spectrometry (ICP-MS); Mobile geochemical laboratory; Aqua regia digestion; Nitric acid digestion; Mine tailings dumps; Soil sampling **177**, 195

Ion exchange; Humic material; Americium; Europium **177**, 221

Ionisation; Air; EHT negative voltage; Water; Chemiluminescense; Superoxide; Hydrogen peroxide **177**, 215

Kiev reservoir; Fish, radiocaesium contamination; Chernobyl accident **177**, 125

Labile Al; Acid neutralizing capacity (ANC); Fish; Aquatic invertebrates; Atlantic salmon; Brown trout; Norway; TOC **177**, 173

Lead; Cadmium; Dietary intake; Provisional tolerable weekly intake; Republic of Croatia **177**, 31

Lead; Edible mushrooms; Heavy metals; Mercury; Copper; Cadmium; Mercury smelter vicinity; Copper smelter vicinity **177**, 251

Lead; Finland; 16th — 17th century; PIXE; PIGE; Trace elements; Urban; Migration; Commerce **177**, 145

London, UK; Polycyclic aromatic hydrocarbons (PAH); PAH monitoring; Motor vehicle emissions; Unleaded petrol; Diesel **177**, 73

Marine ecosystem; DNA; RNA; Virus **177**, 97

Mediterranean; Ozone, diurnal variation; Ozone, seasonal variation; Patras, Greece **177**, 291

Mercury; Edible mushrooms; Heavy metals; Copper; Cadmium; Lead; Mercury smelter vicinity; Copper smelter vicinity **177**, 251

Mercury smelter vicinity; Edible mushrooms; Heavy metals; Mercury; Copper; Cadmium; Lead; Copper smelter vicinity **177**, 251

Metabolite; Pyrene; *Cis*-dihydrodiol pyrene; Polycyclic aromatic hydrocarbons; Microbial degradation **177**, 17

Microbial degradation; Pyrene; Metabolite; *Cis*-dihydrodiol pyrene; Polycyclic aromatic hydrocarbons **177**, 17

Migration; Finland; 16th — 17th century; PIXE; PIGE; Trace elements; Lead; Urban; Commerce **177**, 145

Mine tailings dumps; Inductively coupled plasma-mass spectrometry (ICP-MS); Mobile geochemical laboratory; Aqua regia digestion; Nitric acid digestion; Soil sampling **177**, 195

Mobile geochemical laboratory; Inductively coupled plasma-mass spectrometry (ICP-MS); Aqua regia digestion; Nitric acid digestion; Mine tailings dumps; Soil sampling **177**, 195

Moorland; Trout populations; Streams; Afforested **177**, 113

Moss; Bioindication; Heavy metals; *Fontinalis antipyretica*; Accumulation **177**, 137

Motor vehicle emissions; Polycyclic aromatic hydrocarbons (PAH); PAH monitoring; London, UK; Unleaded petrol; Diesel **177**, 73

Nitric acid; Peat; Nitrogen accumulation; *Calluna*; Grass; Ammonium sulfate **177**, 281

Nitric acid digestion; Inductively coupled plasma-mass spectrometry (ICP-MS); Mobile geochemical laboratory; Aqua regia digestion; Mine tailings dumps; Soil sampling **177**, 195

Nitrogen accumulation; Peat; *Calluna*; Grass; Ammonium sulfate; Nitric acid **177**, 281

Nonsettling microparticles (NSPs); Hydrophobic pollutants; Sediments; Partition coefficients; Dissolved Organic Carbon (DOC) **177**, 1

Norway; Acid neutralizing capacity (ANC); Fish; Aquatic invertebrates; Atlantic salmon; Brown trout; Labile Al; TOC **177**, 173

Organophosphorus insecticides; Biological monitoring; General population; Urinary alkylphosphates **177**, 37

Ozone, diurnal variation; Ozone, seasonal variation; Mediterranean; Patras, Greece **177**, 291

Ozone, seasonal variation; Ozone, diurnal variation; Mediterranean; Patras, Greece **177**, 291

PAH monitoring; Polycyclic aromatic hydrocarbons (PAH); London, UK; Motor vehicle emissions; Unleaded petrol; Diesel **177**, 73

Particulate standards, spatial and temporal variability; PM_{10}; Total Suspended Particulate (TSP); Canada **177**, 57

Partition coefficients; Hydrophobic pollutants; Sediments; Dissolved Organic Carbon (DOC); Nonsettling microparticles (NSPs) **177**, 1

Patras, Greece; Ozone, diurnal variation; Ozone, seasonal variation; Mediterranean **177**, 291

PCDD emission; PCDF emission; Atmosphere **177**, 303

PCDDs (dioxins); PCDFs (furans); Fish; Sediment; TEQs; UK freshwater **177**, 43

PCDF emission; PCDD emission; Atmosphere **177**, 303

PCDFs (furans); PCDDs (dioxins); Fish; Sediment; TEQs; UK freshwater **177**, 43

Peat; High Arctic; Heavy metals; Guano; Seabird colony; Coal **177**, 105

Peat; Nitrogen accumulation; *Calluna*; Grass; Ammonium sulfate; Nitric acid **177**, 281

PIGE; Finland; 16th — 17th century; PIXE; Trace elements; Lead; Urban; Migration; Commerce **177**, 145

PIXE; Finland; 16th — 17th century; PIGE; Trace elements; Lead; Urban; Migration; Commerce **177**, 145

Plutonium emissions; Sellafield reprocessing plant, Cumbria, UK; Windscale nuclear accident; Radionuclide emissions; Plutonium in soil and housedust **177**, 259

Plutonium in soil and housedust; Sellafield reprocessing plant, Cumbria, UK; Windscale nuclear accident; Radionuclide emissions; Plutonium emissions **177**, 259

PM_{10}; Total Suspended Particulate (TSP); Particulate standards, spatial and temporal variability; Canada **177**, 57

Podzol; Granite; Base cation deposition; Weathering rates; PROFILE; Critical loads; Sea salts **177**, 225

Polycyclic aromatic hydrocarbons (PAH); PAH monitoring; London, UK; Motor vehicle emissions; Unleaded petrol; Diesel **177**, 73

Polycyclic aromatic hydrocarbons; Pyrene; Metabolite; *Cis*-dihydrodiol pyrene; Microbial degradation **177**, 17

Principle components analysis (PCA); Groundwater salinization; Castellon Plain, Spain; Cluster analysis **177**, 161

PROFILE; Podzol; Granite; Base cation deposition; Weathering rates; Critical loads; Sea salts **177**, 225

Provisional tolerable weekly intake; Lead; Cadmium; Dietary intake; Republic of Croatia **177**, 31

Pyrene; Metabolite; *Cis*-dihydrodiol pyrene; Polycyclic aromatic hydrocarbons; Microbial degradation **177**, 17

Radiocaesium; Within flock variability; Sheep; Chernobyl; Cumbria **177**, 85

Radionuclide emissions; Sellafield reprocessing plant, Cumbria, UK; Windscale nuclear accident; Plutonium emissions; Plutonium in soil and housedust **177**, 259

Republic of Croatia; Lead; Cadmium; Dietary intake; Provisional tolerable weekly intake **177**, 31

RNA; DNA; Virus; Marine ecosystem **177**, 97

Sea salts; Podzol; Granite; Base cation deposition; Weathering rates; PROFILE; Critical loads **177**, 225

Seabird colony; High Arctic; Heavy metals; Peat; Guano; Coal **177**, 105

Sediment; PCDDs (dioxins); PCDFs (furans); Fish; TEQs; UK freshwater **177**, 43

Sediments; Hydrophobic pollutants; Partition coefficients; Dissolved Organic Carbon (DOC); Nonsettling microparticles (NSPs) **177**, 1

Sellafield reprocessing plant, Cumbria, UK; Windscale nuclear accident; Radionuclide emissions; Plutonium emissions; Plutonium in soil and housedust **177**, 259

Sequential extraction; Stream sediment geochemistry; Elbe River; Czech Republic; Factor analysis; Cluster analysis; Anthropogenic contamination **177**, 237

Sheep; Radiocaesium; Within flock variability; Chernobyl; Cumbria **177**, 85

Soil sampling; Inductively coupled plasma-mass spectrometry (ICP-MS); Mobile geochemical laboratory; Aqua regia digestion; Nitric acid digestion; Mine tailings dumps **177**, 195

Stream sediment geochemistry; Elbe River; Czech Republic; Sequential extraction; Factor analysis; Cluster analysis; Anthropogenic contamination **177**, 237

Streams; Trout populations; Moorland; Afforested **177**, 113

Superoxide; Air; EHT negative voltage; Ionisation; Water; Chemiluminescense; Hydrogen peroxide **177**, 215

Tea and tea infusion; Aluminium; High performance liquid chromatography; Graphite furnace atomic absorption spectrometry **177**, 9

TEQs; PCDDs (dioxins); PCDFs (furans); Fish; Sediment; UK freshwater **177**, 43

TOC; Acid neutralizing capacity (ANC); Fish; Aquatic invertebrates; Atlantic salmon; Brown trout; Norway; Labile Al **177**, 173

Total Suspended Particulate (TSP); PM_{10}; Particulate standards, spatial and temporal variability; Canada **177**, 57

Trace elements; Finland; 16th — 17th century; PIXE; PIGE; Lead; Urban; Migration; Commerce **177**, 145

Trout populations; Streams; Moorland; Afforested **177**, 113

UK freshwater; PCDDs (dioxins); PCDFs (furans); Fish; Sediment; TEQs **177**, 43

Unleaded petrol; Polycyclic aromatic hydrocarbons (PAH); PAH monitoring; London, UK; Motor vehicle emissions; Diesel **177**, 73

Urban; Finland; 16th — 17th century; PIXE; PIGE; Trace elements; Lead; Migration; Commerce **177**, 145

Urinary alkylphosphates; Biological monitoring; General population; Organophosphorus insecticides **177**, 37

Virus; DNA; RNA; Marine ecosystem **177**, 97

Water; Air; EHT negative voltage; Ionisation; Chemiluminescense; Superoxide; Hydrogen peroxide **177**, 215

Weathering rates; Podzol; Granite; Base cation deposition; PROFILE; Critical loads; Sea salts **177**, 225

Windscale nuclear accident; Sellafield reprocessing plant, Cumbria, UK; Radionuclide emissions; Plutonium emissions; Plutonium in soil and housedust **177**, 259

Within flock variability; Radiocaesium; Sheep; Chernobyl; Cumbria **177**, 85